

BIOCONTROL

ISOMATE®-CM/LR TT

ACTIVE INGREDIENTS:

(E, E)-8, 10-Dodecadien-1-ol	38.62%
1-Dodecanol	6.00%
1-Tetradecanol	1.40%
Z-11-Tetradecen-1-yl Acetate	38.04%
Z-9-Tetradecen-1-yl Acetate	4.34%
Z-11-Tetradecen-1-ol	1.05%
Z-11-Tetradecenal	1.00%

OTHER INGREDIENTS 9.55%

TOTAL 100.0%

328.13 mg active ingredients per dispenser

Keep out of reach of children

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Avoid contact with skin, eyes, or clothing. Harmful if absorbed through skin. Causes moderate eye irritation. After handling, wash thoroughly with soap and water before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse. Wear chemical resistant gloves and protective eyewear.

FIRST AID STATEMENT

If on Skin or Clothing * Remove contaminated clothing.
 * Immediately rinse skin for 15-20 minutes using plenty of water.
 * Contact a poison control center or doctor for treatment advice.

If in Eyes * Immediately hold eyes open, slowly and gently rinse with water for 15-20 minutes. If wearing contact lenses, rinse eyes for 5 minutes, remove contact lenses, and continue rinsing.
 * Contact a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when contacting a poison control center or doctor, or going for treatment. You may also contact Pacific Biocontrol at 1-800-999-8805 for additional information.

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of this product.

PACIFIC BIOCONTROL CORPORATION

14615 NE 13th Court, Suite A, Vancouver, WA 98685 U.S.A.

Telephone (360) 571-2247 or 1-800-999-8805

MADE IN JAPAN

EPA Est. No: 47265-JP-01

EPA Reg. No: 53575-31

NET CONTENTS: 300 Dispensers Units

One dispenser contains 0.014 fl oz or 362.77 mg

Total content of package: 4.22 fl oz or 108.83 gm

ISOMATE® is a registered Trademark of Pacific Biocontrol Corporation

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

It is CRITICAL that ISOMATE-CM/LR TT is applied as directed.

Crops	Apples, pears, quince and other pome fruits; peaches, prunes, plums, nectarines, cherries and other stone fruits; walnut, pecan and other tree nut crops.
Target Pests	Codling moth (<i>Cydia pomonella</i>), obliquebanded leafroller (<i>Choristoneura rosaceana</i>), pandemis leafroller (<i>Pandemis pyrusana</i>), fruittree leafroller (<i>Archips argyrospilus</i>), threelined leafroller (<i>Pandemis limitata</i>), European leafroller (<i>Archips rosanus</i>).
Rate	300 dispensers per acre (3.82 fl oz or 98.44 gm a.i. per application). Apply double rate of dispensers to edges of orchard. Do not exceed 150 gm a.i. (or 457 dispensers) per acre per year.
Application	Place dispensers on lateral branches in upper third of tree canopy.
Timing	Apply prior to codling moth emergence in spring. Consult your local pest control advisor or Pacific Biocontrol representative for proper timing or estimated dispenser longevity in your area.
Note	Isomate-CM/LR TT suppresses mating of target pests. Immigration of mated female moths of these species from adjacent orchards will reduce the level of control. Manage by: a. Treatment of external sources of infestation with Isomate-CM/LR TT. b. Treatment of external sources of infestation with an effective insecticide. c. Treatment of pheromone treated orchard with insecticide.

Areawide application is most effective. Supplementary applications of insecticide are advised when Isomate-CM/LR TT is used in orchards with high pest populations. All pests must be monitored so that timely intervention with insecticides is possible.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal

Pesticide Storage Store in original unopened package in a dry location at temperatures below 40°F. Only unopened or unbroken dispenser packages may be stored in cold storage facilities used for food storage.

Pesticide Disposal Wastes resulting from this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal Dispose of empty foil packet in the trash.

WARRANTY AND LIMITATION OF DAMAGES

All statements concerning the use of this product apply only when used as directed. The Manufacturer makes no warranties, expressed or implied, concerning this product or its use, which extend beyond the description on the label. Read all directions carefully.

Revision Date: January 2008